This is G o o g I e's cache of http://entertainment.howstuffworks.com/congestive-heart8.htm.

G o o g I e's cache is the snapshot that we took of the page as we crawled the web.


The page may have changed since that time. Click here for the <u>current page</u> without highlighting.

To link to or bookmark this page, use the following url:

http://www.google.com/search?q=cache:2NcIAEmux34J:entertainment.howstuffworks.com/congestive-heart8.htm+congestive+heart+failure

Google is not affiliated with the authors of this page nor responsible for its conter.

These search terms have been highlighted: congestive heart failure sympathetic nervous system reduce



### Categories

- > Diseases and Conditions
- > Drugs
- > Fitness
- > Health Care
- > Nutrition
- > ShortStuff
- > The Body
- > Browse the Health Library

## Sponsored By:

# Main > Health > Diseases and Conditions

# **How Congestive Heart Failure Works**

by Carl Bianco, M.D.



Introduction to How Congestive
 What is CHF?
 Gauses of CHF
 How the Body Compensates of Symptoms of Congestive Heater
 Physical Exam Findings
 Diagnostic Tests
 Treatment of CHF
 Medications
 Surgery for CHF


Lots More Information

#### Medications

- Diuretics (water pills) are medications used to increase the amount of swater excreted by the kidneys. This reduces the blood volume and the that the heart has to pump, thereby reducing its workload. The goal ideal weight by eliminating edema. Diuretics include:
  - hydrochlorothiazide
  - chlorothalidone
  - metalazone (Zaroxolyn)
  - fu rosemide (Lasix).
  - bumetanide (Bumex)
  - trimeratene
  - spironolactone

A major side effect is a low potassium (K+) level, which can cause r and abnormal heart rhythms. Potassium supplements or potassium diuretics can be used either alone or in combination with other diur

Vasodilators are groups of medications that dilate or enlarge blood CHF, the blood vessels are often constricted due to the activation of nervous system and the renin-angiotensin-aldosterone system. Whare used, they decrease the resistance and blood pressure against must beat, thus increasing the cardiac output. Angiotensin convert inhibitors (ACE inhibit rs) are very effective vasodilators. This is or medications that have actually been shown to prolong lif in CHF p inhibitors reduce blood pressure and fluid retention by preventing frenin-angiotensin-aldosterone system from working. ACE inhibitors



### Top Subjects

- > Cholesterol
- > Dieting
- > Nicotine
- > Sleep
- > Tattoos

### **Explore Stuff**

- > Lidrock.com
- > Big List of Articles
- > Get the Newsletter
- > Browse the Classifieds

captopril (Capoten)
enalapril (Vasotec)
lisinopril (Zestril, Prinivil)
benazepril (Lotensin)
fosinopril (Monopril)
quinapril (Accupril)

Side effects include cough and occasionally a rash.

Angiotensin receptor blockers block the effects of angiotensin institute its production. Angiotensin receptor blockers include:

losartan (Cozaar) irbesartan (Avapro) valsartan (Diovan)

These medications do not cause the side effect of cough produced inhibitors.

Nitroglycerin dilates veins and can be taken under the tongue (Nitro intravenously, by mouth (Isosordil, Sorbitrate, ISMO), or by skin pat Transderm-Nitro).

Calcium channel blockers dilate blood vessels and are sometimes i especially when ischemia is present. These drugs also tend to decr the heart's contraction, however, and so can worsen CHF. Galcium include:

- nifedipine (Procardia XL, Adalat CC)
- diltiazem (Cardizem)
- verapamil (Calan, Isoptin)
- amlodipine (Norvasc)
- felodipine (Plendil)
- nisoldipine (Sular).

Side effects include low blood pressure, headache, edema, and cor • Hydralazine is a vasodilator that acts on arteries, it is used less free

inhibitors have been found to be more effective.

 Alpha blockers block the alpha-adrene gic receptors of the symbat system, thereby dilating blood vessels. Alpha blockers include praz and doxazosin (Cardura). Side effects include rapid heartbeat and I pressure.

Digitalis medications (digoxin, Lanoxin) increase the force of contrepent muscle and also control abnormal heart rhythms, especially a and atrial flutter. Therefore, digitalis is most useful when someone fibrillation or atrial flutter has CHF (a fairly common scenario). It implements the function without increasing mortality. It has many side effects, inclinating, many types of abnormal heart rhythms, confusion and ne interactions with other medications.

- Beta blockers have been found to be useful for CHF. By blocking the
  beta-adrenergic receptors of the sympathetic nervous system, the he
  force of contraction are decreased. Of course, this must be done of
  decreasing these two things can actually worsen CHF. Beta blocke
  - metoproloi (Lopressor, Toprol-XL).
  - atenolol (Tenormin)
  - carvedilol (Coreg)
- Sympathomimetic medications act similarly to the sympathetic nerare used when CHF is severe, such as in cardiogenic shock. They transfer increasing the force of the heart's contraction. Sympathomimetic dropamine (Inotropin) and dobutamine (Dobutrex). Because they must ravenously and are extremely strong, these medications are use CHF has become life threatening. They can cause abnormal heart rischemia.

<< Prev Page Intro Next Page >>

**⊕** HSW Hom

Home Store Newsletter Advertising Priv © 1998 - 2003 HowStuffWorks, Inc.

| Table of Contents:                                 |
|--|
| Introduction to How Congestive Heart Failure Works |
| What is CHF?                                       |
| Causes of CHF                                      |
| How the Body Compensates for a Failing Heart       |
| Symptoms of Congestive Heart Failure               |
| › Physical Exam Findings                           |
| Diagnostic Tests                                   |
| Treatment of CHE                                   |
| > Medications                                      |
| Surgery for CHF                                    |
| Lots More Information                              |
|  |

Search Google:

Congestive+Heart

powered Googl

| Data | this | Article | ı |
|------|------|---------|---|
|      |      |         |   |

|                              | <br> | <br> |
|------------------------------|------|------|
|                              |      |      |
|                              | <br> | <br> |
| er Drewitten Osebel Aber Pol |      |      |